





# "

### PERFECTION

stands for our commitment to uncompromising quality, future-oriented manufacturing technologies and maximum customer satisfaction. This I guarantee through our status as a private, independent company.

Gaston Glock Inventor | Founder | Owner

# Nothing happens by itself.

Gaston Glock Inventor | Founder | Owner

# Table of contents

| Manufacturing                   | 04 |
|---------------------------------|----|
| Testing                         | 14 |
| Safe Action <sup>®</sup> System | 16 |
| GLOCK Gen5 Technology           | 18 |
| Modular Optic System – MOS      | 22 |
| Pistol Sizes                    | 24 |
| Pistol Models                   | 26 |
| - Caliber 22 I.r.               | 28 |
| - Caliber 9 mm Luger            | 30 |
| - Caliber 40 S&W                | 40 |
| - Caliber 10 mm Auto            | 42 |
| Caliber 45 Auto                 | 44 |
| - Caliber 380 Auto              | 46 |
| - Caliber 357 SIG               | 48 |
| - Caliber 45 GAP                | 50 |
| - Compensated                   | 52 |
| Training and Instruction        | 54 |
| Magazines                       | 60 |
| GLOCK Options                   | 66 |
| GLOCK Partners                  | 68 |
| GLOCK Accessories               | 70 |

### GLOCK GmbH Ferlach / Austria

GLOCK facility in Ferlach

Station - 1





### GLOCK GmbH Deutsch-Wagram / Austria

GLOCK facility in Deutsch-Wagram







### GLOCK s.r.o. Bratislava / Slovakia

GLOCK facility in Bratislava

I Part - I

10000

3-



Contact information:



### LOCATIONS AND EXPERTISES

#### **GLOCK GmbH – Austria / Ferlach**

Manufacturing, assembly and proof testing CNC turning and milling Cold hammer Surface engineering Tools manufacturing

#### GLOCK GmbH – Austria / Deutsch-Wagram


Sales, logistics and export Administration and marketing GLOCK Professional International Manufacturing, assembly and proof testing Plastic injection molding Metal injection molding / MIM Punching and bending Tools manufacturing

**GLOCK Technology – Austria** 

Research and development

#### GLOCK s.r.o. – Slovakia

Sales, logistics and export Assembly and proof testing





#### GLOCK, Inc. – United States / Smyrna, Georgia

Sales and logistics, United States and export Administration and marketing Manufacturing, assembly and proof testing CNC-turning and milling Cold hammer Surface engineering Plastic injection molding

#### **GLOCK International S.A. – Panama**

Sales, Latin America and Caribbean Administration and marketing

#### **GLOCK do Brazil – Brazil**

Sales and logistics, Brazil Administration and marketing

#### **GLOCK International FZE – Dubai**

Sales, Middle East and Asia Pacific Administration and marketing

GLOCK supplies customers in more than 150 countries and overseas territories

### MANUFACTURING


### Highest quality standards – High-end production processes

In pistol manufacturing, the precise, holistic interaction among people, material and machine is a prerequisite for meeting the highest requirements for safety and quality without compromise. So the quality standards set by GLOCK apply not only to the exclusive materials, high-end manufacturing technology and engineering methods used but also to the highly qualified staff at GLOCK. In this context, an important basis of our pursuit of continuous improvement is the ISO-9001-certified GLOCK Quality Management System. This involves clearly defined, closely-meshed control procedures that are implemented at all stages of the production process.

#### High vertical integration with leading-edge technology

Since all manufacturing is done in our own production facilities, GLOCK's know-how and the associated vertical integration of manufacturing are unmatched worldwide in every single phase of production. An additional advantage is that GLOCK can respond to special customer orders and can also react timely to short-notice requests and large orders.

All customer orders are implemented using leading-edge technologies. These include high-end manufacturing processes such as CNC turning and milling (slide, barrel, small parts), cold hammer forging (barrels), plastic injection molding (frame), metal injection molding / MIM (e.g. the locking block), various surface engineering technologies as for example vacuum and salt bath hardening, physical and chemical deposition processes (nPVD and nDLC) as well as punching and bending (magazines and small parts). The final manufactured parts combine the advantages of steel with those of polymers and guarantee the highest strength alongside high elasticity and damping of the forces arising resulting in a reduced felt recoil.



Being prepared always to give one's best is and remains GLOCK Perfection in practice.

Gaston Glock Inventor | Founder | Owner An endurance test involves at least 40,000 fired rounds



### TESTING

#### Testing according to standardized guidelines

One reason for the international success of the GLOCK pistol is its suitability for a wide range of pistol applications in various climatic zones. Extensive trials and tests are carried out in our factories as early as the development phase. Law enforcement and military customers and independent testing institutes are regularly testing our products, which sometimes leads to further refinement of GLOCK pistols.

#### Test firing prior to delivery

In Austria, the United States and Slovakia, each assembled pistol is tested in accordance with CIP or SAAMI standards, as applicable, which involves a proof test with overloaded rounds and function and precision testing. The proof marks are engraved on the main components of the pistol. To test the accuracy of the pistol, a dedicated device with electronic hit pattern recognition was specially developed. GLOCK pistols are also hand fired at the factories. Thus, GLOCK customers can be sure that what they are getting "out of the box" is a pistol, factory tested for safety, reliability and precision.

#### Every GLOCK pistol carries 100% GLOCK quality!

By revolutionizing firearms production in the early 1980's, GLOCK became the worldwide leading pistol manufacturer and brought its manufacturing process to perfection.

Register for the **GLOCK newsletter** with many exciting topics and articles!



### SAFE ACTION® SYSTEM

GLOCK's revolutionary Safe Action<sup>®</sup> trigger system provides a consistent trigger pull from the first round to the last. The three independently operating, automatic, mechanical safeties are built into the pistol fire and control system.

#### Every GLOCK pistol has three independent safeties:

The trigger safety, the firing pin safety and the drop safety. All three safeties disengage sequentially as the trigger is pulled and automatically reengage when the trigger is released.

#### 1 Trigger safety

The trigger safety is a lever incorporated into the trigger. When the trigger safety is in the forward position it blocks the trigger from moving rearward. The trigger safety and the trigger must be drawn back at the same time to be able to fire the pistol. If the trigger safety is not depressed, the trigger cannot be moved and so a round cannot be fired. This trigger safety was developed to prevent unintended discharges of a round if the pistol is dropped or lateral forces are applied to the trigger.

#### Piring pin safety

The firing pin safety mechanically blocks forward motion of the firing pin. As the trigger is pulled, the trigger bar pushes the firing pin safety up and frees the firing pin channel. If the shooter decides not to fire and releases the trigger, the firing pin safety automatically reengages.

#### Orop safety

The trigger bar rides in a safety ramp within the trigger mechanism housing. The trigger bar engages the rear portion of the firing pin and prevents the firing pin from moving forward. As the trigger is pulled, the trigger bar rides down the safety ramp and allows the release of the firing pin. After firing, the trigger bar moves upward and reengages the firing pin.





### Revolutionary. Safe. GLOCK.

How these three mechanical safeties operate:

 $\bigcirc$ 





For more information about GLOCK previous generation please visit:



GEN

For more information about GLOCK Gen4 please visit:



### GLOCK GEN5 TECHNOLOGY

The GLOCK Gen5 pistols combine the technology of the future with the familiar reliability of GLOCK. They feature over 20 design modifications from their Gen4 predecessors. These changes deliver improved accuracy, durability, performance, control, and flexibility whether you are on the range or in a situation where fractions of a second matter.

Through rigorous testing and development, GLOCK has combined the historical reliability and trust in the brand with precisely engineered design changes to meet the demand of consumers world-wide.

#### The design changes include 5 key features:

The GLOCK Marksman Barrel (GMB) utilizes enhanced barrel rifling to deliver improved accuracy. The removal of the finger grooves and an added ambidextrous slide stop lever deliver improved control and flexibility. The nDLC finish offers tougher, more durable protection. The introduction of a flared magwell makes it easier to funnel the magazine into the magwell, particularly in high-stress situations.

For more information about the latest pistol technology please visit:



The next generation

gen 5



#### Safe Action® System





Three safeties are released in sequence when the trigger is pulled and are automatically reengaged when the trigger is released.

#### nDLC finish





The GLOCK nDLC finish increases protection from corrosion and abrasion, especially in adverse weather conditions.

#### **GLOCK Marksman Barrel**





The rifling of the GLOCK Marksman Barrel (GMB) is slightly different from the proven polygonal profile, resulting in improved precision.

#### **Configurable frame**





Two different sizes of the beavertail backstraps allow users to adjust the circumference of the grip to their individual hand size.

Dimensions for medium beavertail backstrap (+2 mm | 0,08 in.) and for large beavertail backstrap (+4 mm | 0,16 in.)

#### **Reversible magazine catch**





The magazine catch on the latest generations of the receiver is reversible and has a larger surface. The reversible magazine catch can be fitted to the shooter's needs and installed on the left or right side of the frame.

### Flared magazine well for faster magazine insertion





The larger opening of the flared magwell makes it easier to insert the magazine into the magwell, which is advantageous in situations of stress, when every second counts.

#### **Front Serrations**





The front serrations provide easier and quicker manipulation of the slide.

#### Ambidextrous slide stop lever



Extended magazine floor plate



The ambidextrous slide stop lever enhances handling of the slide by right or left-handed shooters.

#### Mounting rail





The mounting rail is located in front of the trigger guard on the frame of most GLOCK pistols, which enables the attachment of tactical lights and laser modules.

#### Frame without finger grooves





Comfortable grip for the user matching all finger sizes.



The extended floor plate makes it easier to reload.

#### **Orange-colored follower**





The orange-colored follower makes it easier to recognize whether there is ammunition in the magazine or not.

For an overview of all GLOCK pistol technologies please visit:





## The perfect partner to hit your target



### MODULAR OPTIC SYSTEM – MOS

GLOCK engineers have developed the Modular Optic System Configuration to simplify mounting of popular optical sights. An optical sight improves the accuracy at both long and short range, it enables faster target transition and quicker sight acquisition of your target. The MOS Configuration is the best choice to hit your target.

GLOCK offers MOS configuration for Standard and Slimline pistol models:

#### **Standard MOS**

GLOCK Standard size pistol models in MOS Configuration come with a slide cut and numbered GLOCK MOS adapter plates to simplify the mounting of popular optical sights.

#### **Slimline MOS**

The Slimline MOS pistol models feature slide cuts designed for specific micro-optics and do not include adapter plates.

Unless otherwise stated, MOS pistols are distributed without optics. Scope of supply might vary depending on distributing country, for more details please ask your local dealer.

For more information please visit:



### **PISTOL SIZES**

#### How to choose the right GLOCK:

Each GLOCK pistol has been conceived and designed to accomplish a specific objective. Choosing the optimum solution to best serve the shooters requirements is essential. Therefore GLOCK offers a wide range of handgun dimensions.

The main thing is to find the right model one feels comfortable with. Shooters may try different GLOCK pistols at their local GLOCK partner to find out which GLOCK fits perfectly in their hands.

How to find the perfect fit:







#### 1 Standard

The classic Standard size GLOCK pistols are the choice for countless military and police agencies worldwide. They combine high magazine capacity with proven GLOCK reliability, durability and safety.



#### 2 Compact

Because of their shorter slide and reduced height compared with Standard models, the compact format GLOCK pistols are suitable for universal application.

#### **Compact Slimline**

The Compact Slimline frame, with its ergonomically optimized length and slim profile, combines a well-balanced grip with a narrow, compact slide, resulting in the ideal solution for day-to-day carrying. The GLOCK slim rail allows for attaching light modules for tactical use.

#### **Compact Crossover**

A shorter slide and an ergonomic length frame. This combination results in a well balanced grip, sufficient magazine capacity and less weight for comfortable carrying.



#### 3 Subcompact

The Subcompact models were developed as a backup weapon. All double stack magazines of the same caliber fit these Subcompact pistols, making them the most versatile pistols in this class.

#### **Subcompact Slimline**

The best choice for concealed carry. Thanks to the single stack magazine technology, Slimline pistols are the smallest GLOCK pistols. They offer the same precision and reliability as the larger GLOCK models. The GLOCK slim rail allows for attaching light modules for tactical use.



#### 4 Competition

The GLOCK Competition models have a shorter barrel and slide than the Long Slide models. They are appreciated by sport shooters particularly for their precision and reliable operation.

#### **5** Long Slide

These GLOCK pistols with the longest slide on the market feature the greatest sight radius and fast target acquisition combined with GLOCK performance.

## **Pistol models**

22

GLOCK offers over 50 pistols in a variety of sizes, calibers and styles. Each GLOCK pistol has been designed and engineered to respond to our customers' needs. No matter which GLOCK pistol you choose, it will deliver on our promise of safety, reliability, and simple operation, all at an affordable price.

### Make it simple, make it perfect.

Gaston Glock Inventor | Founder | Owner





|   | G44          | 28 | G20 Gen5 MOS | 42 |
|---|--------------|----|--------------|----|
|   | G47 MOS      | 30 | G29 Gen4     | 43 |
|   | G17 Gen5     | 32 | G40 Gen4 MOS | 43 |
|   | G19 Gen5     | 34 | G21 Gen5 MOS | 44 |
| 2 | G26 Gen5     | 35 | G41 Gen4     | 45 |
|   | G34 Gen5 MOS | 35 | G30 Gen4     | 45 |
|   | G17L         | 35 | G36          | 45 |
| - | G19X         | 36 | G42          | 46 |
|   | G45          | 36 | G25          | 47 |
|   | G43          | 38 | G28          | 47 |
|   | G43X         | 38 | G31 Gen4     | 48 |
|   | G48          | 38 | G32 Gen4     | 49 |
|   | G22 Gen5     | 40 | G33 Gen4     | 49 |
|   | G23 Gen5     | 41 | G37          | 50 |
|   | G27 Gen5     | 41 | G38          | 51 |
|   | G35 Gen4     | 41 | G39          | 51 |
|   | G24          | 41 |              |    |

For more information about the G44 please visit:






### <u>G44</u>

GLOCK's first 22 I.r. rimfire pistol the G44 is lightweight, dependable, and accurate. The perfect mix of polymer and steel gives the experience of shooting a GLOCK pistol while handling a lightweight low recoil handgun.

| LENGTH (OVERALL)            | 185 mm 7.28 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 32 mm 1.26 inch  |
| HEIGHT INCL. MAGAZINE       | 128 mm 5.04 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 415 g 14.64 oz   |
| TRIGGER PULL (~)*           | 26 N             |
|                             |                  |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 22 I.r.





# Caliber 9 mm Luger

Jost .

100K

0250

**B** 

0

A and a second

0

11 south and the south and the



For more information about this 9 mm Luger pistol model please visit:





### <u>G47</u> MOS

The G47 MOS with its no-compromise design, combines all the features demanded of the modern handgun of today – and of tomorrow! The standard size of the G17 designed with future versatility.

| LENGTH (OVERALL)            | 202 mm 7.95 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 34 mm 1.34 inch  |
| HEIGHT INCL. MAGAZINE       | 139 mm 5.47 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 735 g 25.93 oz   |
| TRIGGER PULL (~)*           | 26 N             |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice. For comparison of all GLOCK 9 mm Luger pistol models please visit:





### <u>G17</u> GEN5

Designed for professionals, the G17 Gen5 is the perfect choice for law enforcement officers and military personnel around the globe because of its unsurpassed reliability, optimal 17-round standard magazine capacity and its low weight.

| LENGTH (OVERALL)            | 202 mm 7.95 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 34 mm 1.34 inch  |
| HEIGHT INCL. MAGAZINE       | 139 mm 5.47 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 708 g 24.97 oz   |
| TRIGGER PULL (~)*           | 26 N             |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 9 mm Luger





A II

TUTAL

9119

15

H-STRF

STR

Steel Challenge – an action-packed discipline performed on steel plates, on which it sometimes comes down to a hundredth of a second. In 2020, I was able to claim the title for myself in the standard class of the German championship with my reliable G17.

Home

Tino Schmidt, German sport shooter

Dans appar

For comparison of all GLOCK 9 mm Luger pistol models please visit:





### <u>G19</u> GEN5

The G19 Gen5 pistol in 9 mm Luger is ideal for a more versatile role due to its reduced dimensions. In addition to its use as a conventional service pistol, it is ideal for use as a backup weapon or for concealed carry use.

| LENGTH (OVERALL)            | 185 mm 7.28 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 34 mm 1.34 inch  |
| HEIGHT INCL. MAGAZINE       | 128 mm 5.04 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 670 g 23.63 oz   |
| TRIGGER PULL (~)*           | 26 N             |
|                             |                  |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 9 mm Luger





### G26 GEN5

SUBCOMPACT

G34 GEN5 MOS



Available as: G26 Gen5, G26 Gen5 MOS, G26 Gen4, G26

| LENGTH (OVERALL)               | 163 mm | 6.42 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 33 mm  | 1.30 inch |
| HEIGHT INCL.<br>MAGAZINE       | 106 mm | 4.17 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 615 g  | 21.69 oz  |
| TRIGGER PULL (~)*              | 26     | 5 N       |

# A | 17 | 9 mm Luger

### <u>G17</u>L



Available as: G34 Gen5 MOS, G34 Gen4, G34 Gen4 MOS, G34

| LENGTH (OVERALL)               | 222 mm | 8.74 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 34 mm  | 1.34 inch |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm | 5.47 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 743 g  | 26.21 oz  |
| TRIGGER PULL (~)*              | 24     | N         |
|                                |        |           |

| Available as:<br>G17L          |                  |
|--------------------------------|------------------|
| LENGTH (OVERALL)               | 242 mm 9.53 inch |
| WIDTH (OVERALL)                | 33 mm 1.30 inch  |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm 5.47 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 755 g 26.63 oz   |
| TRIGGER PULL (~)*              | 24 N             |
|                                |                  |

Register for the **GLOCK newsletter** with many exciting topics and articles!



### Caliber 9 mm Luger

For comparison with other GLOCK 9 mm Luger pistol models please visit:



innin



### G19X



Available as: G19X

| LENGTH (OVERALL)               | 189 mm | 7.44 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 33 mm  | 1.30 inch |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm | 5.47 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 704 g  | 24.83 oz  |
| TRIGGER PULL (~)*              | 26     | N         |

### G45



\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

#### Available as: G45, G45 MOS

| LENGTH (OVERALL)               | 189 mm | 7.44 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 34 mm  | 1.34 inch |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm | 5.47 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 694 g  | 24.48 oz  |
| TRIGGER PULL (~)*              | 26     | N         |
|                                |        |           |

### **Compact slide and full size frame join forces**

The G19X and G45 combine the full-size G17 frame with a compact G19 slide. This makes them accessible to every type of shooter. The G19X comes in the coyote color with the first-ever factory colored slide, finished with an improved nPVD slide coating to prevent corrosion. Unlike the G19X, the G45 also features the flared magwell found on GLOCK's popular Gen5 pistols, and is an ideal pistol for law enforcement and private owners.

### G43



### G43X



### G48



| Available as: |  |  |
|---------------|--|--|

G43X, G43X MOS, G43X Silver Slide

G48, G48 MOS, G48 Silver Slide

Available as: G43

LENGTH (OVERALL)

WIDTH (OVERALL)

EMPTY MAGAZINE TRIGGER PULL (~)\*

LENGTH (OVERALL)

WIDTH (OVERALL)

EMPTY MAGAZINE TRIGGER PULL (~)\*

HEIGHT INCL.

MAGAZINE WEIGHT INCL.

HEIGHT INCL.

MAGAZINE WEIGHT INCL.

Available as:

159 mm 6.26 inch

27 mm 1.06 inch

108 mm 4.25 inch

510 g 17.99 oz

24 N

165 mm 6.50 inch

128 mm 5.04 inch

530 g 18.70 oz

24 N

1.10 inch

28 mm

| LENGTH (OVERALL)               | 185 mm | 7.28 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 28 mm  | 1.10 inch |
| HEIGHT INCL.<br>MAGAZINE       | 128 mm | 5.04 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 588 g  | 20.74 oz  |
| TRIGGER PULL (~)*              | 24     | N         |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

# A perfect fit for concealed carry

The GLOCK Slimline pistol models are designed for comfort and fit even for smaller hand sizes. These slim and lightweight pistols are engineered with perfection offering the most desired comfort.





### Caliber 9 mm Luger

For comparison with other GLOCK 9 mm Luger pistol models please visit:

929

and 18 more





Optic not included

For comparison of all GLOCK 40 S&W pistol models please visit:





### <u>G22</u> GEN5

Being one of the most popular police service pistols in the United States, the G22 Gen5 fires the potent 40 S&W cartridge and holds more rounds for its size and weight than most other full-sized handguns in its class.

| LENGTH (OVERALL)            | 202 mm 7.95 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 34 mm 1.34 inch  |
| HEIGHT INCL. MAGAZINE       | 140 mm 5.51 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 806 g 28.43 oz   |
| TRIGGER PULL (~)*           | 26 N             |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 40 S&W





### G23 GEN5

G27 GEN5



| LENGTH (OVERALL)               | 185 mm | 7.28 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 34 mm  | 1.34 inch |
| HEIGHT INCL.<br>MAGAZINE       | 129 mm | 5.08 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 756 g  | 26.67 oz  |
| TRIGGER PULL (~)*              | 26     | N         |

Available as: G23 Gen5, G23 Gen5 MOS, G23 Gen4, G23

Available as: G27 Gen5, G27 Gen4, G27 LENGTH (OVERALL) WIDTH (OVERALL) HEIGHT INCL.

163 mm 6.42 inch 33 mm 1.30 inch 107 mm 4.21 inch MAGAZINE WEIGHT INCL. 676 g 23.85 oz EMPTY MAGAZINE TRIGGER PULL (~)\* 26 N



SUBCOMPACT

40 S&W

9

θ



Available as: G35 Gen4, G35 Gen4 MOS, G35

| LENGTH (OVERALL)               | 222 mm | 8.74 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 33 mm  | 1.30 inch |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm | 5.47 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 785 g  | 27.69 oz  |
| TRIGGER PULL (~)*              | 24     | N         |

### G24



Available as: G24

| LENGTH (OVERALL)               | 243 mm | 9.57 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 33 mm  | 1.30 inch |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm | 5.47 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 840 g  | 29.63 oz  |
| TRIGGER PULL (~)*              | 28     | 3 N       |

For comparison of all GLOCK 10 mm Auto pistol models please visit:





### <u>G20</u> GEN5 MOS

The G20 Gen5 MOS delivers formidable force downrange with high accuracy over long distance. The use of GLOCK hi-tech polymer considerably reduces felt recoil even in this heavy caliber.

| LENGTH (OVERALL)            | 205 mm 8.07 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 35 mm 1.38 inch  |
| HEIGHT INCL. MAGAZINE       | 140 mm 5.51 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 845 g 29.81 oz   |
| TRIGGER PULL (~)*           | 26 N             |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 10 mm Auto





### G29 GEN4



### G40 GEN4 MOS



Available as: G29 Gen4, G29 SF

| LENGTH (OVERALL)               | 177 mm | 6.97 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 35 mm  | 1.38 inch |
| HEIGHT INCL.<br>MAGAZINE       | 115 mm | 4.53 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 760 g  | 26.81 oz  |
| TRIGGER PULL (~)*              | 28 N   |           |

Available as: G40 Gen4 MOS

| LENGTH (OVERALL)               | 241 mm | 9.49 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 34 mm  | 1.34 inch |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm | 5.47 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 1005 g | 35.45 oz  |
| TRIGGER PULL (~)*              | 24     | N         |

For comparison of all GLOCK 45 Auto pistol models please visit:





### G21 GEN5 MOS

Remarkable for its accuracy and light recoil, the G21 Gen5 MOS delivers the power of the 45 Auto round with high magazine capacity. The 45 Auto caliber has long been regarded with special reverence.

| LENGTH (OVERALL)            | 205 mm 8.07 inch |  |
|-----------------------------|------------------|--|
| WIDTH (OVERALL)             | 35 mm 1.38 inch  |  |
| HEIGHT INCL. MAGAZINE       | 140 mm 5.51 inch |  |
| WEIGHT INCL. EMPTY MAGAZINE | 825 g 29.10 oz   |  |
| TRIGGER PULL (~)*           | 26 N             |  |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 45 Auto





### G30 GEN4



#### Available as: G30 Gen4, G30 SF, G30 S

| LENGTH (OVERALL)               | 177 mm | 6.97 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 35 mm  | 1.38 inch |
| HEIGHT INCL.<br>MAGAZINE       | 122 mm | 4.80 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 745 g  | 26.28 oz  |
| TRIGGER PULL (~)*              | 28 N   |           |

### <u>G36</u>



### G41 GEN4



| Available | as: |
|-----------|-----|
| G36       |     |

| LENGTH (OVERALL)               | 177 mm | 6.97 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 30 mm  | 1.18 inch |
| HEIGHT INCL.<br>MAGAZINE       | 120 mm | 4.72 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 635 g  | 22.40 oz  |
| TRIGGER PULL (~)*              | 28     | 8 N       |
|                                |        |           |

Available as: G41 Gen4, G41 Gen4 MOS LENGTH (OVERALL) 223 mm 8.78 inch

| LENGTH (OVERALL)               | 223 11111 | 0.70 11011 |
|--------------------------------|-----------|------------|
| WIDTH (OVERALL)                | 34 mm     | 1.34 inch  |
| HEIGHT INCL.<br>MAGAZINE       | 139 mm    | 5.47 inch  |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 760 g     | 26.81 oz   |
| TRIGGER PULL (~)*              | 24 N      |            |

For comparison of all GLOCK 380 Auto pistol models please visit:





Available as: G42 A 6 380 Auto

SUBCOMPACT SLIM

### <u>G42</u>

For discerning shooters who were looking for the smallest GLOCK possible, the company responded with the popular G42 in 380 Auto featuring ultra-compact dimensions and easy-to-shoot characteristics.

| LENGTH (OVERALL)            | 151 mm 5.94 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 25 mm 0.98 inch  |
| HEIGHT INCL. MAGAZINE       | 105 mm 4.13 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 390 g 13.76 oz   |
| TRIGGER PULL (~)*           | 24 N             |
|                             |                  |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 380 Auto





### <u>G25</u>



Available as: G25

| LENGTH (OVERALL)               | 187 mm | 7.36 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 32 mm  | 1.26 inch |
| HEIGHT INCL.<br>MAGAZINE       | 128 mm | 5.04 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 645 g  | 22.75 oz  |
| TRIGGER PULL (~)*              | 28     | N         |

### G28



#### 🖞 | 10 | 380 Auto

SUBCOMPACT

Available as: G28

| LENGTH (OVERALL)               | 165 mm | 6.50 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 32 mm  | 1.26 inch |
| HEIGHT INCL.<br>MAGAZINE       | 106 mm | 4.17 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 585 g  | 20.64 oz  |
| TRIGGER PULL (~)*              | 28     | 3 N       |

For comparison of all GLOCK 357 SIG pistol models please visit:





### <u>G31</u> GEN4

The G31 Gen4, in 357 SIG, is the optimal solution for anyone looking for high muzzle velocity and superior precision in a reliable, yet lightweight, pistol with large magazine capacity.

| 202 mm 7.95 inch |
|------------------|
| 32 mm 1.26 inch  |
| 139 mm 5.47 inch |
| 740 g 26.10 oz   |
| 28 N             |
|                  |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 357 SIG





### G32 GEN4



### G33 GEN4

SUBCOMPACT

A



Available as: G33 Gen4, G33

Available as: G32 Gen4, G32

LENGTH (OVERALL)

WIDTH (OVERALL)

EMPTY MAGAZINE TRIGGER PULL (~)\*

HEIGHT INCL.

MAGAZINE WEIGHT INCL.

| LENGTH (OVERALL)               | 163 mm | 6.42 inch  |
|--------------------------------|--------|------------|
| WIDTH (OVERALL)                | 32 mm  | 1.26 inch  |
| HEIGHT INCL.<br>MAGAZINE       | 107 mm | 4.21 inch  |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 620 g  | 21.87 inch |
| TRIGGER PULL (~)*              | 28     | 3 N        |
|                                |        |            |

185 mm 7.28 inch

32 mm 1.26 inch

128 mm 5.04 inch

690 g 24.34 oz

28 N

For comparison of all GLOCK 45 GAP pistol models please visit:





### <u>G37</u>

For those who prefer large-caliber handguns, the G37, in 45 GAP, represents a quantum leap in big-bore technology. This all-round pistol delivers power-packed performance in a standard-framed handgun.

| LENGTH (OVERALL)            | 204 mm 8.03 inch |
|-----------------------------|------------------|
| WIDTH (OVERALL)             | 33 mm 1.30 inch  |
| HEIGHT INCL. MAGAZINE       | 139 mm 5.47 inch |
| WEIGHT INCL. EMPTY MAGAZINE | 815 g 28.75 oz   |
| TRIGGER PULL (~)*           | 28 N             |
|                             |                  |

\*Depending on the configuration. Technical data are rounded and do not reflect tolerances – they may be altered without notice.

### Caliber 45 GAP





### G38



Available as: G38

| LENGTH (OVERALL)               | 187 mm | 7.36 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 33 mm  | 1.30 inch |
| HEIGHT INCL.<br>MAGAZINE       | 128 mm | 5.04 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 755 g  | 26.63 oz  |
| TRIGGER PULL (~)*              | 28     | Ν         |

### G39



🔒 🛛 6 🔤 45 GAP

SUBCOMPACT

Available as: G39

| LENGTH (OVERALL)               | 165 mm | 6.50 inch |
|--------------------------------|--------|-----------|
| WIDTH (OVERALL)                | 33 mm  | 1.30 inch |
| HEIGHT INCL.<br>MAGAZINE       | 106 mm | 4.17 inch |
| WEIGHT INCL.<br>EMPTY MAGAZINE | 685 g  | 24.16 oz  |
| TRIGGER PULL (~)*              | 28     | 8 N       |

### COMPENSATED MODELS

The barrel and slide of compensator pistol models have two slots through which gases can escape more quickly. The parallel slots soften both the muzzle flip and the recoil of the pistol, thereby allowing faster target acquisition for subsequent shots.

For comparison of all GLOCK Compensated pistol models please visit:



### G17C GEN4



### G21C GEN4



### G19C GEN4



### G31C GEN4





On the way to perfection every challenge has to be accepted

### Training and Instruction

For comparison of all GLOCK Training pistol models please visit:





### TRAINING PISTOLS

Taking training to the next level requires more than just paper targets and an hour at the range. With situations and engagements becoming more complex, modern law enforcement and military units use Force-on-Force training to give their officers and soldiers the training they need to succeed. The GLOCK training pistols have been developed for the purpose of enabling reality-based tactical operations training with color marking or plastic bullet ammunition.

GLOCK offers a wide range of training tools to help customers prepare for the real world while maintaining the same handling and ergonomics as as regular GLOCK pistols.

Other available models on request.

### G17T GEN5 MOS



### G45T MOS



### G19T GEN5 MOS



### G47T MOS



### **PRACTICE AND RESET PISTOLS**

Proper grip, loading, unloading, sight alignment, trigger squeeze and disassembling are all part of a shooter's training routine. The GLOCK practice pistols have been developed to eliminate dangerous scenarios during training exercises. Identical to GLOCK pistols in handling, weight, size and balance, they put the real thing in the user's hand, but without the firing capacity.

Expanding the range of GLOCK dry-fire pistols is the Reset pistol. The GLOCK R models have been created with shooting simulators in mind. An aftermarket laser impulse generator can be integrated into the barrel, which will fire a laser impulse with every pull of the trigger. Unlike the Practice pistol, the pistol's trigger will reset automatically after every shot, making racking the slide obsolete during training.





GLOCK Buyer's Guide

# Safety is key for our company!

For general information about GLOCK training and instruction topics please visit:



### Cutaway models render education and training a more visual experience

MANAMAN MANA

Silde Lubric

For comparison of all GLOCK Cutaway pistol models please visit:



Ű.

Asjes dold



### CUTAWAY MODELS

GLOCK cutaway models are specially produced for technical firearms training. The GLOCK cutaway is always a big favorite during training classes, presentations and trade fairs since it clearly illustrates the ingeniously simple interaction of the internal safeties of the GLOCK Safe Action<sup>®</sup> System.

### G17 GEN5 CUT



### G22 CUT

### G19 GEN5 CUT



### G23 CUT



COMPACT

### G26 CUT

STANDARD



SUBCOMPACT

For detailed information about all GLOCK magazines please visit:



### MAGAZINES STANDARD AND OPTIONAL

Like no other pistol, GLOCK pistols permit a high level of compatibility of the magazines within a caliber. With the exception of the slimline, higher capacity magazines may also be used for backup weapons of the same caliber. Compact and subcompact GLOCK pistol model magazines can be loaded with an impressive number of rounds.

The innovative polymer frame of the GLOCK pistol does not require grip shells. As a result, there is considerably more space for the magazine body, enabling double-row staggered cartridge configuration. For this reason, GLOCK pistols offer greater firepower then most conventional pistol models of the same size. GLOCK magazines feature a stiff metal tube encased in the proven GLOCK high-tech polymer. This resists deformation – even when dropped from great height or exposed to extreme environments.

### Magazines. Reliable. Trusted.





#### **Standard floor plate**



#### Floor plate 01 (enlarged)

The extended floor plate of the Gen5 magazines makes it easier to reload. For better visibility these magazines feature an orange follower.



#### **Plus floor plate (extended)**


Magazines with extended floor plates (for higher magazine capacity) are available in 9 mm Luger, 40 S&W, 380 Auto and 357 SIG calibers.



| CAPACIT    | Y    | 31+2              | 24        | 22        | 17+2              | 17 | 15 <mark>+2</mark> | 15 <mark>+1</mark> | 15        | 13+1       | 13        | 10+2              | 10 | 9+1       | 9 | 8 |   |
|------------|------|-------------------|-----------|-----------|-------------------|----|--------------------|--------------------|-----------|------------|-----------|-------------------|----|-----------|---|---|---|
| J          | G17  | [] <mark>=</mark> | Ω         |           | [] <mark>=</mark> | 1  |                    |                    |           |            |           |                   |    |           |   |   |   |
|            | G19X | <u>[</u> =        | Ū         |           | <u>[</u> =        | 1  |                    |                    |           |            |           |                   |    |           |   |   |   |
|            | G19  | <u>[</u> =        | Ū         |           | [] <mark>=</mark> | Ū  | <u>[</u> =         |                    | 1         |            |           |                   |    |           |   |   |   |
|            | G26  | <u>[</u> =        |           |           | <u>[</u> =        | Ū  | <u>[</u> =         |                    |           |            |           | [] <mark>=</mark> | 1  |           |   |   |   |
| 9 mm Luger | G34  | <u>[</u> =        | Ū         |           | [] <mark>=</mark> | 1  |                    |                    |           |            |           |                   |    |           |   |   |   |
| ת          | G17L | <u>[</u> =        | $\bigcup$ |           | [=                | 1  |                    |                    |           |            |           |                   |    |           |   |   |   |
|            | G45  | <u>[</u> =        | $\square$ |           | [] <mark>=</mark> | 1  |                    |                    |           |            |           |                   |    |           |   |   |   |
|            | G47  | <u>[</u> =        | Ū         |           | [] <mark>=</mark> | 1  |                    |                    |           |            |           |                   |    |           |   |   |   |
|            | G22  |                   |           | Ū         |                   |    |                    | <u>[</u> _         | 1         |            |           |                   |    |           |   |   |   |
| >          | G23  |                   |           | $\square$ |                   |    |                    | <u>[</u> _         | $\square$ | []_        | 1         |                   |    |           |   |   |   |
|            | G24  |                   |           | $\square$ |                   |    |                    | Ω_                 | 1         |            |           |                   |    |           |   |   |   |
| 40         | G27  |                   |           | $\square$ |                   |    |                    | Ω_                 | $\square$ | <u>[</u> _ | $\square$ |                   |    | []_       | 1 |   |   |
|            | G35  |                   |           | $\square$ |                   |    |                    | Ω_                 | 1         |            |           |                   |    |           |   |   |   |
|            | G25  |                   |           |           |                   |    | [] <mark>=</mark>  |                    | 1         |            |           |                   |    |           |   |   |   |
|            | G28  |                   |           |           |                   |    | <u>[</u> =         |                    | $\square$ |            |           | [] <mark>=</mark> | 1  |           |   |   |   |
|            | G20  |                   |           |           |                   |    |                    |                    | 1         |            |           |                   |    |           |   |   |   |
|            | G29  |                   |           |           |                   |    |                    |                    | Ū         |            |           |                   | 1  |           |   |   |   |
|            | G40  |                   |           |           |                   |    |                    |                    | 1         |            |           |                   |    |           |   |   |   |
|            | G21  |                   |           |           |                   |    |                    |                    |           |            | 1         |                   |    |           |   |   |   |
|            | G30  |                   |           |           |                   |    |                    |                    |           |            | Ū         |                   | 1  | $\square$ | Ω |   |   |
|            | G36  |                   |           |           |                   |    |                    |                    |           |            |           |                   |    |           |   |   | , |
|            | G41  |                   |           |           |                   |    |                    |                    |           |            | 1         |                   |    |           |   |   |   |
| ם כ        | G31  |                   |           |           |                   |    |                    | 0_                 | 1         |            |           |                   |    |           |   |   |   |
|            | G32  |                   |           |           |                   |    |                    | 0_                 | Ū         | Ω_         | 1         |                   |    |           |   |   |   |
| 0 <b>—</b> | G33  |                   |           |           |                   |    |                    | 0_                 | Ū         | 0_         | Ū         |                   |    | 0_        | 1 |   |   |
| L          | G37  |                   |           |           |                   |    |                    |                    |           |            |           |                   | 1  |           |   |   |   |
|            | G38  |                   |           |           |                   |    |                    |                    |           |            |           |                   | Δ  |           |   | 1 |   |
| ÷ —        | G39  |                   |           |           |                   |    |                    |                    |           |            |           |                   | Ω  |           |   | Ω |   |

# Unmatched functionality





1

For information on compatibility within caliber groups and models please check with your local dealer or on glock.com.

Ċ

C



### G44 magazine with integrated loading assist

Only for G44

For more information about the G44 magazine with integrated loading assist please visit:



6.1

1-1-1-1-1-1-1

### SLIMLINE AND G44 MAGAZINES



#### Single stack (slim size)

GLOCK Slimline pistol magazines are single stack, so as to render them as slim as possible.

(A magazine with extension is available for securing the grip and better ergonomics of the G42 and G43)



#### Slim 01 size

The GLOCK Slim 01 magazines only fit the G43X and G48.



### G44 with integrated loading assist

This 10 round, polymer magazine has been developed specially for the G44. The integrated loading assist enables easier loading.

| MAGAZINE<br>CAPACITY |      | 31 <b>+2</b> | 24 | 22 | 17 <mark>+2</mark> | 17 | 15 <mark>+2</mark> | 15 <mark>+1</mark> | 15 | 13 <b>+1</b> | 13 | 10+2 | 10 | 9+1 | 9 | 8 | 6 |
|----------------------|------|--------------|----|----|--------------------|----|--------------------|--------------------|----|--------------|----|------|----|-----|---|---|---|
| Luger                | G43  |              |    |    |                    |    |                    |                    |    |              |    |      |    |     |   |   | 1 |
|                      | G43X |              |    |    |                    |    |                    |                    |    |              |    |      | 1  |     |   |   |   |
|                      | G48  |              |    |    |                    |    |                    |                    |    |              |    |      | 1  |     |   |   |   |
| 380<br>Auto          | G42  |              |    |    |                    |    |                    |                    |    |              |    |      |    |     |   |   |   |
|                      |      |              |    |    |                    |    |                    |                    |    |              |    |      |    |     |   |   |   |
| 1.r.                 | G44  |              |    |    |                    |    |                    |                    |    |              |    |      | 1  |     |   |   |   |
|                      |      |              |    |    |                    |    |                    |                    |    |              |    |      |    |     |   |   |   |
|                      |      |              |    |    |                    |    |                    |                    |    |              |    |      |    |     |   |   |   |

STANDARD For information on compatibility within caliber groups and models please check with your local dealer or on glock.com

### GLOCK OPTIONS

Modify your GLOCK pistol to meet your individual requirements by changing:

- 1 Front sight
- 2 Rear sight
- **3** Slide stop lever
- 4 Magazine catch
- **5** Trigger pull

#### **Performance Trigger**

In order to substantially lower the trigger pull weight, GLOCK also offers a drop-in trigger solution – for more information please check **glock.com** 

Warning: Installation by certified GLOCK armorers only!

#### 6 Threaded barrel

Get an overview of all GLOCK options:





# Armed with confidence.



How to find a GLOCK dealer:



### THE GLOCK PARTNER PROGRAMS

With over 50 different models, any GLOCK purchase can be a bit confusing with options ranging from different calibers, sizes, generations and dozens of options for modifying a GLOCK pistol. GLOCK Partners represents a pool of retailers with extensive knowledge of our products, who are able to help customers choose the perfect model for their needs.

Use the dealer locator to find a certified GLOCK partner. Find out more on  ${\bf glock.com}$ 



#### **GLOCK Premium Partner**

GLOCK Premium Partners will be happy to organize a test shoot at a range near the shop, offering the customer the chance to try various models at a range just a few minutes away. They are able to answer any question about modifications, upgrades and alternatives on-site.



#### **GLOCK Experience Partner**

GLOCK Experience Partners deliver on their promise. With an in-house shooting range, the Experience Partner offers everything necessary to try various GLOCK models and get a feel for how they perform. With experienced GLOCK trained armorers on-site, the Experience Partner will look after a customer's gun and advise on all minor repairs and modifications.



### Try before you buy



### Safe. Simple. Fast.

Get an overview of all GLOCK accessories:







### GLOCK ACCESSORIES

#### **Tactical lights**

- GTL 10\* Xenon light module
- GTL 11\* Xenon light module with added dimmer function
- GTL 21\* Tactical light with red laser
- GTL 22\* Tactical light with red laser with added dimmer function
- GTL 51\* IR (infrared) light and laser - GTL 52\*
- IR (infrared) light and laser with added dimmer function

#### **Pouches**

- GTL Pouch Fits all GTL models
- Magazine Pouch Ambidextrous belt-mounted black polymer pouch

#### **GTL laser filter**

Reduces the laser output

#### Lockable pistol case

Secured pistol storage

#### Holsters

- Safety Holster
- Sport/Duty Holster
- Sport/Combat Holster

\*Do not fit G43X and G48.

#### Lanyard clips and lanyards

For secured retention

#### **Dummies**

To increase safety for training and storage

- Dummy Rounds
- Dummy Barrels
- Empty Chamber Flag

#### Magazine Speed loader

To increase magazine loading speed (Except G44)

#### **Entrenching tool**

A functional tool for any outdoor professional usable as spade, shovel and saw

#### **Field knives**

- FM 78 The classic army knife - FM 81

The classic army knife with saw available in different colors

#### Contact

For more detailed information on our products refer to glock.com or contact your local GLOCK dealer.

#### Media owner, Publisher

GLOCK Ges.m.b.H. Gaston Glock-Platz 1, 2232 Deutsch-Wagram Austria

#### **Pictures**

The pictures in this brochure are symbolic pictures and might differ from the actual product.

#### Print

sandler print&packaging Johann Sandler GesmbH & Co KG, Druckereiweg 1, 3671 Marbach/Donau Austria

Technical and measurement changes as well as misprints in graphic or writing reserved.

EN | 51485 | 01-2023



glock.com